Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"5541704".pn.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:45
S2	9	("4460259" | "4485391" | "4534638" | "4561752" | "4564756" | "5109248" | "5408092").PN. OR ("5541704").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/05 13:46
S3	530139	(light adj1 emit$4 adj1 diode$1) or (LED$1)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:42
S4	37692	reverse adj1 bias$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:44
S5	33	(Ogawa with Harumi).in. and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:48
S6	6	("4099171" | "4286171" | "4482238" | "5448082" | "5504323" | "5541704").PN. OR ("6449437").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2006/01/05 13:50
S7	5561	S3 with bias$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:52
S8	19510	(color or white) adj1 balance	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:42
S9	38	S7 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:53
S10	111152	light adj1 receiving	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:55
S11	6613	S3 with S10	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:55
S12	35366	light adj1 receiving adj1 element	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:55

S13	2401	S3 with S12	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:55
S14	639	S3 with S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:56
S15	4	S8 and S14	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:56
S16	11678	S3 with frequency	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:56
S17	78	S8 and S16	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:56
S18	46	S8 and S16 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 13:58
S19	410263	(measur$5 or detect$4 or responsive) near5 ((scene near2 illumination) or (light))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:01
S20	14329	S3 near5 (measur$5 or detect$4 or responsive) near5 ((scene near2 illumination) or (light))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:01
S21	2	S3 near5 (measur$5 or detect$4 or responsive) near5 (scene near2 illumination)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:02
S22	3	S3 with (measur$5 or detect$4 or responsive) with (scene near2 illumination)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:04
S23	1064	257/82.ccls.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:50
S24	0	S23 and S8 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:02

S25	20	S23 and camera	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:03
S26	605	photomet$4 with S3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:03
S27	33	S26 and S8	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:03
S28	28	(S3 with S4) and (camera or photomet$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:15
S29	2070	S3 with (measur$5 or detect$4 or sens$3) with ((scene near4 (light or illumination)) or (light near3 intensit$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:12
S30	49	S3 with (measur$5 or detect$4 or sens$3) with (scene near4 (light or illumination))	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:12
S31	778	S3 with revers$3 with bias$3	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:14
S32	43	(S31) and (camera or photomet$4)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:17
S33	1389	((color or white) adj1 balance).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:43
S34	38816	((light adj1 emit$4 adj1 diode$1) or (LED$1)).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:42
S35	383282	frequenc$3.clm. or color$1.clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:43
S36	13	S33 with S34 with S35	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:43

S37	4397	(reverse adj1 bias$3).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:44
S38	79	S34 with S37	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:44
S39	42	S23 and S4	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:50
S40	21	S23 and S4 and (color or frequency)	US-PGPUB; USPAT; EPO; JPO; DERWENT	OR	OFF	2006/01/05 14:50
S41	4	("5448082").URPN.	USPAT	OR	OFF	2006/01/05 15:37